Journal of Biochemical and Biophysical Methods, 17 (1988) 313–315
Elsevier

Contents of Volume 17

No. 1

Obituary 1

G. Desoye (F.R.G.)
Error analysis in equilibrium dialysis: evaluation of adsorption phenomena (BBM 00683) 3

M. Sabés, J. Torres, M. Duñach and E. Padrós (Spain)
2-Hydroxy-5-nitrobenzyl bromide as a specific reagent for tryptophan residues in membrane proteins: bacteriorhodopsin as an example (BBM 00684) 17

S.M. Snell and M.A. Marini (U.S.A.)
A convenient spectroscopic method for the estimation of hemoglobin concentrations in cell-free solutions (BBM 00685) 25

T. Domènech, I. Rafecas, M. Esteve, J.M. Argilés and M. Alemany (Spain)
A sensitive direct calorimeter for small mammals (BBM 00686) 35

H.-D. Hunger, C. Flachmeier, G. Schmidt, G. Behrendt and C. Coutelle (G.D.R.)
A protein-free blocking system for the covalently binding matrix cyanuric chloride-activated paper in immunological procedures (BBM 00687) 43

J.-C. Philippe, B. Picard, P. Goullet and R. Krishnamoorthy (France)
Electrophoretic data in designing strategies for purification and identification of a highly polymorphic bacterial esterase (BBM 00688) 51

A.A. Paladini and L. Erijman (Argentina)
New method for spectrofluorometer monochromator wavelength calibration (BBM 00689) 61

S. Hjertén and I. Zelikman (Sweden)
Chromatographic purification of γ-globulin from human serum on ferric oxide-agarose columns (BBM 00690) 67

Short Note
K. Dill, S. Hu, A.R. Katritzky and M. Sutharchanadevi (U.S.A.)
New method of blocking lysyl residues of proteins using 4-(4-methoxy-3-sulphophenyl)- 2,6-bis-(4-sulphophenyl)pyrylium perchlorate (BBM 00691) 75

Announcement 79

No. 2

Minireview
K.R. Sharrock (New Zealand)
Cellulase assay methods: a review (BBM 00693) 81

0165-022X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Research Articles

D.A. Lane and D. Nadeau (Canada)
Determination of pyridine nucleotide contents of cell monolayers by bioluminescence (BBM 00695) 107

D. Castignetti, A.F. Siddiqui and K.W. Olsen (U.S.A.)
A spectrophotometric assay for the degradation of the siderophore deferrioxamine B (BBM 00696) 119

A.R. Sampietro, F.E. Prado, J.E. Sayago and M.A. Vattuone (Argentina)
Biochemical method for molecular weight determinations of proteins and other macromolecules (BBM 00694) 127

L.F. Yuan, R.A. Wirtz and R.L. Beaudoin (U.S.A.)
The use of dextran as a blocking agent on nitrocellulose membrane in the analysis of sporozoite antigens of *Plasmodium vivax* (BBM 00697) 135

S.M. Christensen, F. Medina, R.W. Winslow, S.M. Snell, A. Zegna and M.A. Marini (U.S.A.)
Preparation of human hemoglobin Ao for possible use as a blood substitute (BBM 00698) 143

Short Note

W. Lohmann, W. Schmehl, P. Bernhardt, H. Wickert, M. Ibrahim and J. Strobel (F.R.G.)
Device for measuring native fluorescence of lenses (BBM 00692) 155

No. 3

T.P. Bradshaw, F. Ahmed and R.B. Dunlap (U.S.A.)
The removal of exogenous thiols from proteins by centrifugal column chromatography (BBM 00706) 159

C.P. Mudd and R.L. Berger (U.S.A.)
A computer-controlled all-tantalum stopped-flow microcalorimeter with microjoule resolution (BBM 00699) 171

I. Šafařik (Czechoslovakia)
An insoluble chromolytic substrate for the determination of proteolytic activity (BBM 00702) 193

B. Fudem-Goldin, P. Voulalas and G.A. Orr (U.S.A.)
Synthesis and rapid purification of UDP-[6-^{3}H]galactose (BBM 00703) 199

U. Csaikl and F. Csaikl (Austria)
Speeding-up mitochondrial DNA preparation by a modified alkaline SDS method (BBM 00704) 203

L.B. Dolapchiev and A.T. Bakalova (Bulgaria)
New spectrophotometric method for continuous recording of the spleen exonuclease activity (BBM 00705) 207

J.L. Tedesco, K.M. Pearsall, M. Thompson and U.J. Krull (Canada)
Affinity purification of the mammalian β-2-adrenergic receptor (BBM 00707) 215

Short Notes

R.C. Clark, N. Taljaard, T. Haylett and F.J. Joubert (South Africa)
Gas-phase protein sequencing: gas flow control by positive displacement (BBM 00700) 229

M. Behizad and T. Treffry (U.K.)
Enhanced discrimination in the partition of proteins by aqueous polymer two-phase systems (BBM 00701) 231

No. 4

H.-J. Steinhoff (F.R.G.)
A simple method for determination of rotational correlation times and separation of rotational and polarity effects from EPR spectra of spin-labeled biomolecules in a wide correlation time range (BBM 00710) 237

I. Moser, F. Pittner and P. Dworsky (Austria)
A rapid fluorimetric test for lysozyme with purified fluorescamine-labelled peptidoglycan (BBM 00708) 249

G. Remaud (Sweden)
Practical aspects of 2D NMR for assigning the non-exchangeable protons in DNA-RNA fragments (BBM 00709) 253

I. Šafařik (Czechoslovakia)
A modified fibrin plate for rapid detection of proteinases and proteinase inhibitors in fractions after liquid chromatography (BBM 00712) 277

G. Johansson and B. Olde (Sweden)
Partition and counter-current distribution of membrane particles in aqueous dextran-poly(ethylene glycol) two-phase systems with special reference to synaptosomes (BBM 00713) 285

G. Soletormos (Denmark)
Carcinoembryonic antigen measurement in gastric juice. Discovery and elimination of an inhibitory interference (BBM 00714) 297

T.N. Collingwood, R.M. Daniel and A.G. Langdon (New Zealand)
An M(III)-facilitated flocculation technique for enzyme recovery and concentration (BBM 00715) 303

Book Review 311

Contents of Volume 17 313

Author Index 316

Subject Index 319

Journal of Biochemical and Biophysical Methods, 17 (1988) 316–318
Elsevier

Author Index

Ahmed, F., see Bradshaw, T.P. (17) 159
Alemany, M., see Domènech, T. (17) 35
Argilés, J.M., see Domènech, T. (17) 35

Bakalova, A.T., see Dolapchiev, L.B. (17) 207
Beaudoin, R.L., see Yuan, L.F. (17) 135
Behizad, M. and Treffry, T.
Enhanced discrimination in the partition of proteins by aqueous polymer two-phase systems (17) 231
Behrendt, G., see Hunger, H.-D. (17) 43
Berger, R.L., see Mudd, C.P. (17) 171
Bernhardt, P., see Lohmann, W. (17) 155
Bradshaw, T.P., Ahmed, F. and Dunlap, R.B.
The removal of exogenous thiols from proteins by centrifugal column chromatography (17) 159

Castignetti, D., Siddiqui, A.F. and Olsen, K.W.
A spectrophotometric assay for the degradation of the siderophore deferrioxamine B (17) 119
Christensen, S.M., Medina, F., Winslow, R.W., Snell, S.M., Zegna, A. and Marini, M.A.
Preparation of human hemoglobin Ao for possible use as a blood substitute (17) 143
Clark, R.C., Taljaard, N., Haylett, T. and Joubert, F.J.
Gas-phase protein sequencing: gas flow control by positive displacement (17) 229
Collingwood, T.N., Daniel, R.M. and Langdon, A.G.
An M(III)-facilitated flocculation technique for enzyme recovery and concentration (17) 303
Coutelle, C., see Hunger, H.-D. (17) 43
Csaikl, F., see Csaikl, U. (17) 203
Csaikl, U. and Csaikl, F.
Speeding-up mitochondrial DNA preparation by a modified alkaline SDS method (17) 203

Daniel, R.M., see Collingwood, T.N. (17) 303

Desoye, G.
Error analysis in equilibrium dialysis: evaluation of adsorption phenomena (17) 3
Dill, K., Hu, S., Katritzky, A.R. and Sutharchanadevi, M.
New method of blocking lysyl residues of proteins using 4-(4-methoxy-3-sulphophenyl)-2,6-bis-(4-sulphophenyl)pyrylium perchlorate (17) 75
Dolapchiev, L.B. and Bakalova, A.T.
New spectrophotometric method for continuous recording of the spleen exonuclease activity (17) 207
Domènech, T., Rafecas, I., Esteve, M., Argilés, J.M. and Alemany, M.
A sensitive direct calorimeter for small mammals (17) 35
Duñach, M., see Sabés, M. (17) 17
Dunlap, R.B., see Bradshaw, T.P. (17) 159
Dworsky, P., see Moser, I. (17) 249

Erijman, L., see Paladini, A.A. (17) 61
Esteve, M., see Domènech, T. (17) 35

Flachmeier, C., see Hunger, H.-D. (17) 43
Fudem-Goldin, B., Voulalas, P. and Orr, G.A.
Synthesis and rapid purification of UDP-[6-^{3}H]galactose (17) 199

Goullet, P., see Philippe, J.-C. (17) 51

Haylett, T., see Clark, R.C. (17) 229
Hjertén, S. and Zelikman, I.
Chromatographic purification of γ-globulin from human serum on ferric oxide-agarose columns (17) 67
Hu, S., see Dill, K. (17) 75
Hunger, H.-D., Flachmeier, C., Schmidt, G., Behrendt, G. and Coutelle, C.
A proteinfree blocking system for the covalently binding matrix cyanuric chloride-activated paper in immunological procedures (17) 43

0165-022X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Ibrahim, M., see Lohmann, W. (17) 155

Johansson, G. and Olde, B.
Partition and counter-current distribution of membrane particles in aqueous dextran-poly(ethylene glycol) two-phase systems with special reference to synaptosomes (17) 285
Joubert, F.J., see Clark, R.C. (17) 229

Katritzky, A.R., see Dill, K. (17) 75
Krishnamoorthy, R., see Philippe, J.-C. (17) 51
Krull, U.J., see Tedesco, J.L. (17) 215

Lane, D.A. and Nadeau, D.
Determination of pyridine nucleotide contents of cell monolayers by bioluminescence (17) 107
Langdon, A.G., see Collingwood, T.N. (17) 303
Lohmann, W., Schmehl, W., Bernhardt, P., Wickert, H., Ibrahim, M. and Strobel, J.
Device for measuring native fluorescence of lenses (17) 155

Marini, M.A., see Christensen, S.M. (17) 143
Marini, M.A., see Snell, S.M. (17) 25
Medina, F., see Christensen, S.M. (17) 143
Moser, I., Pittner, F. and Dworsky, P.
A rapid fluorimetric test for lysozyme with purified fluorescamine-labelled peptidoglycan (17) 249
Mudd, C.P. and Berger, R.L.
A computer-controlled all-tantalum stopped-flow microcalorimeter with microjoule resolution (17) 171

Nadeau, D., see Lane, D.A. (17) 107

Olde, B., see Johansson, G. (17) 285
Olsen, K.W., see Castignetti, D. (17) 119
Orr, G.A., see Fudem-Goldin, B. (17) 199

Padrós, E., see Sabés, M. (17) 17
Paladini, A.A. and Erijman, L.
New method for spectrofluorometer monochromator wavelength calibration (17) 61
Pearsall, K.M., see Tedesco, J.L. (17) 215
Philippe, J.-C., Picard, B., Goullet, P. and Krishnamoorthy, R.
Electrophoretic data in designing strategies for purification and identification of a highly polymorphic bacterial esterase (17) 51
Picard, B., see Philippe, J.-C. (17) 51
Pittner, F., see Moser, I. (17) 249
Prado, F.E., see Sampietro, A.R. (17) 127

Rafecas, I., see Domènech, T. (17) 35
Remaud, G.
Practical aspects of 2D NMR for assigning the non-exchangeable protons in DNA-RNA fragments (17) 253

Sabés, M., Torres, J., Duñach, M. and Padrós, E.
2-Hydroxy-5-nitrobenzyl bromide as a specific reagent for tryptophan residues in membrane proteins: bacteriorhodopsin as an example (17) 17
Šafařík, I.
An insoluble chromolytic substrate for the determination of proteolytic activity (17) 193
Šafařík, I.
A modified fibrin plate for rapid detection of proteinases and proteinase inhibitors in fractions after liquid chromatography (17) 277
Sampietro, A.R., Prado, F.E., Sayago, J.E. and Vattuone, M.A.
Biochemical method for molecular weight determinations of proteins and other macromolecules (17) 127
Sayago, J.E., see Sampietro, A.R. (17) 127
Schmehl, W., see Lohmann, W. (17) 155
Schmidt, G., see Hunger, H.-D. (17) 43
Sharrock, K.R.
Cellulase assay methods: a review (17) 81
Siddiqui, A.F., see Castignetti, D. (17) 119
Snell, S.M. and Marini, M.A.
A convenient spectroscopic method for the estimation of hemoglobin concentrations in cell-free solutions (17) 25
Snell, S.M., see Christensen, S.M. (17) 143
Soletormos, G.
Carcinoembryonic antigen measurement in gastric juice. Discovery and elimination of an inhibitory interference (17) 297
Steinhoff, H.-J.
A simple method for determination of rotational correlation times and separation of rotational and polarity effects from EPR spectra of spin-labeled biomolecules in a wide correlation time range (17) 237
Strobel, J., see Lohmann, W. (17) 155
Sutharchanadevi, M., see Dill, K. (17) 75

Taljaard, N., see Clark, R.C. (17) 229

Tedesco, J.L., Pearsall, K.M., Thompson, M. and Krull, U.J.
Affinity purification of the mammalian β-2-adrenergic receptor (17) 215
Thompson, M., see Tedesco, J.L. (17) 215
Torres, J., see Sabés, M. (17) 17
Treffry, T., see Behizad, M. (17) 231

Vattuone, M.A., see Sampietro, A.R. (17) 127
Voulalas, P., see Fudem-Goldin, B. (17) 199

Wickert, H., see Lohmann, W. (17) 155
Winslow, R.W., see Christensen, S.M. (17) 143
Wirtz, R.A., see Yuan, L.F. (17) 135

Yuan, L.F., Wirtz, R.A. and Beaudoin, R.L.
The use of dextran as a blocking agent on nitrocellulose membrane in the analysis of sporozoite antigens of *Plasmodium vivax* (17) 135

Zegna, A., see Christensen, S.M. (17) 143
Zelikman, I., see Hjertén, S. (17) 67

Journal of Biochemical and Biophysical Methods, 17 (1988) 319–320
Elsevier

Subject Index

Adsorption, (17), 3
Affinity chromatography, (17), 215
Affinity labeling, (17), 215
Agarose, (17), 67
Amino acid, (17), 229
Anion-exchange chromatography, (17), 143
Aqueous polymer two-phase system, (17), 231
Aqueous two-phase system, (17), 285
Bacteriorhodopsin, (17), 17
Bioluminescence, (17), 107
Calibration, (17), 61
Carcinoembryonic antigen, (17), 297
Catabolic product, (17), 119
Cataract, (17), 155
Cell monolayer, (17), 107
Centrifugal column chromatography, (17), 159
Chromatography, (17), 67
Chromophoric substrate, (17), 207
^{13}C-nuclear magnetic resonance spectroscopy, (17), 75
Concentration, (17), 303
Concentration estimation, (17), 25
Coomassie brilliant blue, (17), 43
Counter-current distribution, (17), 285
Covalently binding matrix, (17), 43
2D, (17), 253
Data decomposition, (17), 171
Deconvolution, (17), 171
Deferrioxamine B, (17), 119
Dextran, (17), 135
Didymium filter, (17), 61
Difference spectroscopy, (17), 207
Differential calorimeter, (17), 171
Dilution, (17), 297
Direct calorimetry, (17), 35
DNA, (17), 253
Dyed casein, (17), 193
Edman degradation, (17), 229
Enthalpy measurement, (17), 171
Environmental polarity, (17), 237
Enzyme recovery, (17), 303
EPR, (17), 237
Equilibrium dialysis, (17), 3
Esterase, (17), 51
Exogenous thiol, (17), 159
Fast response calorimeter, (17), 171
Ferric oxide, (17), 67
Ferric perchlorate, (17), 119
Fibrin plate, (17), 277
Flocculation, (17), 303
Fluorescamine labeling, (17), 249
Fluorescence spectroscopy, (17), 155
FPLC, (17), 199
Galactose oxidase, (17), 199
Gastric juice, (17), 297
Gel filtration, (17), 215
γ-Globulin, (17), 67
Glycophorin A^N, (17), 75
Hemoglobin, (17), 25
Hemoglobin Ao, (17), 143
Heparin, (17), 127
Holmium filter, (17), 61
Human serum, (17), 67
Hydrous oxide, (17), 303
2-Hydroxy-5-nitrobenzyl bromide, (17), 17
^{125}I-protein A, (17), 43
Immunoblotting, (17), 135
Immunosubtractive electrophoresis, (17), 51
Inhibitory interference, (17), 297
Insoluble chromolytic substrate, (17), 193
Instrumentation, (17), 61
Invertase, (17), 127
Isobestic point: pH dependency, (17), 25
Isoionic HbAo, (17), 143
Liquid chromatography, (17), 277
Lysozyme assay, (17), 249
Membrane, (17), 3
Membrane delipidation, (17), 17
Membrane protein, (17), 17
Methemoglobin spectrum, (17), 25
Micrococcus peptidoglycan, (17), 249
Microjoule resolution, (17), 171
Molar absorption coefficient, (17), 207
Molecular weight, (17), 127
Monochromator, (17), 61
Mono Q, (17), 199
NMR, (17), 253
Optical multichannel analyzer, (17), 155

0165-022X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Oxidized pyridine nucleotide, (17), 107
Partition of protein, (17), 231
Peptide, (17), 229
Phase transition, (17), 231
Polyacrylamide gel, (17), 193
Pronase, (17), 135
Protein, (17), 127; (17), 159; (17), 229
Proteinase, (17), 277
Proteinase inhibitor, (17), 277
Protein blotting, (17), 43
Protein chromatography, (17), 215
Protein-free blocking media, (17), 43
Protein processing, (17), 215
Proteolytic activity, (17), 193
Pulmonary alveolar macrophage, (17), 107
Purification, (17), 51
Pyrylium salt, (17), 75
Receptor, (17), 215
Reduced pyridine nucleotide, (17), 107
Reductive methylation, (17), 75
Reuse of blots, (17), 43
RNA, (17), 253
Rotational correlation time, (17), 237
Sequence, (17), 229
Siderophore, (17), 119
Slit lamp microscopy, (17), 155
Spectral assay, (17), 119
Spectral assignment, (17), 253
Spleen exonuclease, (17), 207
Stopped-flow heat conduction microcalorimeter, (17), 171
Stroma-free hemoglobin, (17), 143
Synaptic membrane, (17), 285
Synthetic polymer, (17), 127
Tantalum mixer, (17), 171
Temperature measurement, (17), 171
Temperature transition, (17), 231
Titration curve, (17), 51
Transport kinetics, (17), 3
Tryptophan modification, (17), 17
UDP-[6-^{3}H]galactose, (17), 199
Wavelength, (17), 61
Zucker rat, (17), 35